

Delta9 THC **ND** THCa **ND** Total THC (THCa * 0.877 + THC) **ND** Delta8 THC **ND**

Sample ID	SD260324-082 (135787)	Matrix	Topical
Tested for	Maui Superherbs		
Sampled -	Received	Mar 24, 2026	Reported
Analyses executed	FP-NI		Apr 03, 2026
		Unit Mass (g)	30.0

Analyzed Mar 12, 2026 | Instrument HPLC-VWD | Method SOP-001

The expanded Uncertainty of the Cannabinoids analysis is approximately $\pm 7.81\%$ at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/Unit	Sample photography 
Cannabidivarin (CBDv)	0.039	0.16	ND	ND	ND	
Cannabidibutol (CBDdb)	0.011	0.03	ND	ND	ND	
Cannabidiolic Acid (CBDA)	0.033	0.16	ND	ND	ND	
Cannabigerol Acid (CBGA)	0.033	0.16	ND	ND	ND	
Cannabigerol (CBG)	0.048	0.16	0.04	0.38	11.40	
Cannabidiol (CBD)	0.069	0.229	1.94	19.43	582.90	
Tetrahydrocannabivarin (THCV)	0.049	0.16	ND	ND	ND	
Cannabinol (CBN)	0.047	0.16	ND	ND	ND	
Tetrahydrocannabinol (Δ9-THC)	0.092	0.307	ND	ND	ND	
Δ8-tetrahydrocannabinol (Δ8-THC)	0.044	0.16	ND	ND	ND	
Cannabicyclol (CBL)	0.0012	0.16	ND	ND	ND	
Cannabichromene (CBC)	0.13	0.432	0.92	9.19	275.70	
Tetrahydrocannabinolic Acid (THCA)	0.117	0.389	ND	ND	ND	
Total THC (THCa * 0.877 + Δ9THC)			ND	ND	ND	
Total THC + Δ8THC (THCa * 0.877 + Δ9THC + Δ8THC)			ND	ND	ND	
Total CBD (CBDa * 0.877 + CBD)			1.94	19.43	582.90	
Total CBG (CBGa * 0.877 + CBG)			0.04	0.38	11.40	
Total Cannabinoids Analyzed			2.90	29.00	870.00	

Analized Mar 27, 2026 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0009	0.0027	0.00	1.5
Cadmium (Cd)	0.0005	0.0015	ND	0.5
Mercury (Hg)	0.0058	0.0174	ND	3
Lead (Pb)	0.0006	0.0018	ND	0.5

Analyzed Mar 24, 2026 | Instrument Plating | Method SOP-007

Analyte	LOD CFU/g	LOQ CFU/g	Result CFU/g	Limit CFU/g
Shiga toxin-producing <i>Escherichia Coli</i>	1.0	1.0	ND	1
<i>Salmonella</i> spp.	1.0	1.0	ND	1

Analyzed Mar 26, 2026 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DEA license: **RP0611043**
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity

Authorized Signature _____

Brandon Stahr

Brandon Starr, Quality Assurance Manager
Fri, 03 Apr 2026 15:23:45 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 408 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be used to establish, in fact or in law, the truth or falsity of any claim, cure, or prevent any disease. PharmLabs is not responsible for the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs is not responsible for the use of this report for any purpose other than the intended purpose. PharmLabs is not responsible for the use of this report for any purpose other than the intended purpose. PharmLabs disclaims and ensures the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformance of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to conflict of law principles.

PES - Pesticides

Analyzed Mar 30, 2026 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.01	0.02	ND		Carbofuran	0.01	0.02	ND	
Dimethoate	0.01	0.02	ND		Etofenprox	0.02	0.1	ND	
Fenoxycarb	0.01	0.02	ND		Thiachloprid	0.01	0.02	ND	
Daminozide	0.01	0.03	ND		Dichlorvos	0.02	0.07	ND	
Imazalil	0.02	0.07	ND		Methiocarb	0.01	0.02	ND	
Spiroxamine	0.01	0.02	ND		Coumaphos	0.01	0.02	ND	
Fipronil	0.01	0.1	ND		Paclobutrazol	0.01	0.03	ND	
Chlorpyrifos	0.01	0.04	ND		Ethoprophos (Prophos)	0.01	0.02	ND	
Baygon (Propoxur)	0.01	0.02	ND		Chlordane	0.04	0.1	ND	
Chlorfenapyr	0.03	0.1	ND		Methyl Parathion	0.02	0.1	ND	
Mevinphos	0.03	0.08	ND		Abamectin	0.03	0.08	ND	
Acephate	0.02	0.05	ND		Acetamiprid	0.01	0.05	ND	
Azoxystrobin	0.01	0.02	ND		Bifenazote	0.01	0.05	ND	
Bifenthrin	0.02	0.35	ND		Boscalid	0.01	0.03	ND	
Carbaryl	0.01	0.02	ND		Chlorantranilprole	0.01	0.04	ND	
Clofentezine	0.01	0.03	ND		Diazinon	0.01	0.02	ND	
Dimethomorph	0.02	0.06	ND		Etoxazole	0.01	0.05	ND	
Fenproxiimate	0.02	0.1	ND		Flonicamid	0.01	0.02	ND	
Fludioxonil	0.01	0.05	ND		Hexythiazox	0.01	0.03	ND	
Imidacloprid	0.01	0.05	ND		Kresoxim-methyl	0.01	0.03	ND	
Malathion	0.01	0.05	ND		Metaxalyl	0.01	0.02	ND	
Methomyl	0.02	0.05	ND		Myclobutanil	0.02	0.07	ND	
Naled	0.01	0.02	ND		Oxamyl	0.01	0.02	ND	
Permethrin	0.01	0.02	ND		Phosmet	0.01	0.02	ND	
Piperonyl Butoxide	0.02	0.06	<LOQ		Propiconazole	0.03	0.08	ND	
Prallethrin	0.02	0.05	ND		Pyrethrin	0.05	0.41	ND	
Pyridaben	0.02	0.07	ND		Spinosad A	0.01	0.05	ND	
Spinosad D	0.01	0.05	ND		Spiromesifen	0.02	0.06	ND	
Spirotetramat	0.01	0.02	ND		Tebuconazole	0.01	0.02	ND	
Thiamethoxam	0.01	0.02	ND		Trifloxystrobin	0.01	0.02	ND	
Acequinocyl	0.02	0.09	ND		Captan	0.01	0.02	ND	
Cypermethrin	0.02	0.1	ND		Cyfluthrin	0.04	0.1	ND	
Fenhexamid	0.02	0.07	ND		Spinetoram J,L	0.02	0.07	ND	
Pentachloronitrobenzene	0.01	0.1	ND						

RES - Residual Solvents

Analyzed Mar 30, 2026 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.044	0.4	ND	5000	Butane (But)	0.02	0.4	ND	5000
Methanol (Metha)	1.176	3.92	ND	3000	Ethylene Oxide (EthOx)	0.08	0.4	ND	1
Pentane (Pen)	0.024	0.4	ND	5000	Ethanol (Ethanol)	0.048	0.4	ND	5000
Ethyl Ether (EthEt)	0.036	0.4	ND	5000	Acetone (Acet)	0.044	0.4	<LOQ	5000
Isopropanol (2-Pro)	1.16	3.868	<LOQ	5000	Acetonitrile (Acetonit)	0.888	2.952	ND	410
Methylene Chloride (MetCh)	0.04	0.4	ND	1	Hexane (Hex)	0.012	0.4	ND	290
Ethyl Acetate (EthAc)	0.032	0.4	ND	5000	Chloroform (Clo)	0.028	0.4	ND	1
Benzene (Ben)	0.012	0.4	ND	1	1-2-Dichloroethane (12-Dich)	0.024	0.4	ND	1
Heptane (Hep)	0.012	0.4	ND	5000	Trichloroethylene (TriClEth)	0.072	0.4	ND	1
Toluene	0.036	0.4	ND	890	Xylenes (Xyl)	0.012	0.4	ND	2170

FVI - Filth & Foreign Material Inspection

Analyzed Mar 24, 2026 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: **RP0611043**
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 03 Apr 2026 15:23:45 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2019 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.