

A healthcare professional, likely a nurse or therapist, is shown in a clinical setting. She is wearing blue scrubs and has a stethoscope around her neck. She is leaning over an elderly patient who is lying on a table, eyes closed, wearing a yellow shirt. The professional's hands are gently placed on the patient's forehead, suggesting a therapeutic touch or relaxation technique. The background includes a window with horizontal blinds and a desk with a computer monitor and some medical supplies.

PROFESSIONAL DEVELOPMENT

Integrating Supportive Therapies into Organizations: A Pathway to Resilience and Performance

Debra Reis

Supportive therapies are often misunderstood as abstract or difficult to measure. Yet when viewed through the lens of nervous system regulation, behavioral science, and organizational outcomes, integrative therapies such as movement therapy, relaxation techniques, and aromatherapy become both observable and practical.

The challenge is not whether these modalities work, but how they are implemented within complex systems such as healthcare organizations and workplaces.

Drawing on clinical and organizational experience, we will explore how integrative therapies can be successfully embedded in healthcare settings, long-term care, mental health programs, and business environments, using a structured, systems-based approach designed for real-world application.

WHY SUPPORTIVE THERAPIES BELONG IN ORGANIZATIONS

Across various business sectors, burnout, emotional fatigue, and disengagement are increasingly recognized as system-level problems, not individual shortcomings. Research in neurobiology and stress physiology demonstrates that integrative practices supporting nervous system regulation and emotional recovery are associated with improved cognitive function, resilience, and social engagement, key factors in organizational health (Porges, 2011; McEwen & Morrison, 2013).

Integrative therapies address these challenges by supporting:

- Autonomic nervous system regulation
- Emotional resilience and stress recovery
- Cognitive clarity and presence
- Social connection and team cohesion

When implemented strategically, these therapies function as preventative and restorative interventions, not fringe wellness offerings.

A SCIENCE-ALIGNED INTEGRATION FRAMEWORK

A structured, reproducible framework can be a successful way for integrating modalities into systems that value evidence, efficiency, and outcomes. These are key concepts to consider:

1. IDENTIFY SYSTEM PAIN POINTS

Rather than leading with a modality, identify the organization's most pressing challenges:

- Burnout and compassion fatigue
- High turnover or disengagement
- Client or patient anxiety and agitation
- Poor team communication and morale

From a scientific perspective, these issues are strongly associated with prolonged stress activation and impaired self-regulation. Framing integrative therapies as tools for stress recovery and regulation aligns them with recognized organizational needs.

2. INTRODUCE BRIEF, REPEATABLE MICRO-PRACTICES

Time constraints are one of the greatest barriers to adoption. Evidence supports the effectiveness of short, consistent practices in influencing physiological regulation and emotional state.

For example, brief structured breathing practices have been shown to improve mood and reduce physiological arousal even when practiced for only a few minutes per day (Balban et al., 2023). Similarly, short relaxation or mindful breathing interventions have been associated with reductions in perceived stress and improvements in emotional regulation in



high-stress environments (Pascoe et al., 2023).

Sensory-based interventions, such as aromatherapy, further support regulation by engaging olfactory pathways connected to the limbic system and influencing autonomic nervous system responses related to stress and emotional processing (Liu et al., 2024). Together, these micro-interventions are feasible, scalable, and well-suited for demanding environments where time and cognitive load are limited.

3. EMPOWER INTERNAL CHAMPIONS

Behavioral change research shows that interventions are more likely to succeed when modeled by trusted insiders. Internal champions, such as managers, therapists, or team leaders, play a critical role in normalizing integrative practices.

Rather than relying solely on external facilitators, provide training and support to internal leaders to ensure continuity and cultural integration.

4. EMBED PRACTICES INTO EXISTING STRUCTURES

Sustainable interventions are those embedded into existing workflows, such as staff meetings or shift transitions; group sessions or client programming; orientation, onboarding, or wellness initiatives.

Embedding practices reduce cognitive load and increase adherence. From a systems perspective, this integration minimizes disruption while maximizing exposure and consistency.

5. DEMONSTRATE VALUE THROUGH OBSERVABLE OUTCOMES

While large-scale studies are valuable, organizations often respond first to visible, practical outcomes, such as:

- Improved engagement and participation
- Reduced emotional reactivity
- Enhanced team cohesion
- Positive feedback from staff or clients

These observable shifts create momentum and open the door to broader evaluation and expansion. In conclusion, integrative therapies align closely with established science when framed appropriately.

A structured program translates these therapies into actionable strategies that organizations can adopt without extensive resources or restructuring.

Supportive therapies need not remain on the margins of organizational care. When grounded in physiology, delivered in brief and consistent ways, and integrated through a systems-based framework, integrative therapies become credible, measurable, and sustainable. €

References:

- Balban, M. Y., Neri, E., Kogon, M. M., et al. (2023). Brief structured respiration practices enhance mood and reduce physiological arousal. *Cell Reports Medicine*, 4(1), 100895. <https://doi.org/10.1016/j.xcrm.2022.100895>
- Liu, Y., Dong, Y., Wang, X., Huang, Y., Wu, F., Xia, F., Bai, H., Li, H., Shi, L., & Wang, B. (2025). Effects of lavender essential oil inhalation aromatherapy on postoperative sleep quality in patients with intracranial tumors: A randomized controlled trial. *Frontiers in Pharmacology*, 16, 1584998. <https://doi.org/10.3389/fphar.2025.1584998>
- McEwen, B. S., & Morrison, J. H. (2013). The brain on stress: Vulnerability and plasticity of the prefrontal cortex over the life course. *Neuron*, 79(1), 16–29. <https://doi.org/10.1016/j.neuron.2013.06.028>
- Pascoe, M. C., Thompson, D. R., Jenkins, Z. M., & Ski, C. F. (2017). Mindfulness mediates the physiological markers of stress: Systematic review and meta-analysis. *Journal of Psychiatric Research*, 95, 156–17 <https://pubmed.ncbi.nlm.nih.gov/28863392/>
- Porges, S. W. (2011). *The polyvagal theory: Neurophysiological foundations of emotions, attachment, communication, and self-regulation*. New York, NY: W. W. Norton & Company.



For more information about author Debra Reis visit: www.debrareis.com