

SMART LOCK

Catalogue




SMART . SECURE . CONVENIENT



SINCE 2023




CONTENTS



1

About US
PAGE 02



2

Lockoo Service
PAGE 03



3

Push Pull Series
PAGE 05-12



4

Exterior Handle Series
PAGE 13-18



5

Interior Handle Series
PAGE 20-21



6

Tubular Handle Series
PAGE 22-24




7

Grill Lock Series
PAGE 25-27



8

Glass Lock Series
PAGE 29-31



9

Deadbolt Series
PAGE 32-34




10

Access Control
PAGE 35-40



11

Additional Option
PAGE 4-45



12

Door Measurement Guide
PAGE 46-47

About Us

Who are we?

LOCKOO - Local Brand of Smart Locks

LOCKOO, a proudly local brand, is dedicated to delivering top-quality digital smart locks built on trust, reliability, and excellence.

Quality Products :

Our smart lock is built to international standards, certified with CE, FCC, ISO, IP-rated and RoHS for safety and reliability.

Quality Service :


We deliver exceptional, high-quality service and source all products directly from our factory—no middlemen, guaranteed quality, and the best prices.

Choose **LOCKOO** - Where trust meets innovation.

LOCKOO SMART TECH
SINCE 2023



Lockoo Service Process



Our Installation / Workmanship



PUSH/PULL SERIES



P992B
RM 2488



P992C
RM 2488



V80B
RM 1800



V80RG
RM 1800



P993
RM 2588



G40 AI
RM 3000

EXTERIOR HANDLE SERIES



CX-07 M
RM 1180



CX-07G
RM 1180



CX-07 B
RM 1180



M7
RM 1480



M9
RM 1680



H91
RM 1280

P992



OBSIDIAN BLACK
黑曜石



RED BRONZE
红古铜

2 YEAR WARRANTY

RM 2488
(Include Installation)

Tuya Smart



Smart Life




WORKS WITH
Google Assistant

WORKS WITH
Amazon Alexa

PUSH PULL SERIES

P992



5 QUALITY
★★★★★

5 SECURITY
★★★★★

5 USER FRIENDLY
★★★★★

Product Specifications


- Material: Aluminum Alloy + IML Tempered Glass.
- Dimensions: 420mm (H) x 78mm (W) x 54mm (L) .
- Power: Dual Rechargeable Lithium Battery, USB Port (Type C).
- Color available: Matt Black ■ Copper ■
- Applicable For: Wooden and Security Door.

Capacity

- Admin capacity: 5
- User capacity: 95
- Face,Plam,Fingerprint,Password and card capacity: 100 each
- Battery: 4200 mah + 2250 mah

Technical Details

- Electronic mortise: 6068.
- Working temperature: 20-60°C.
- Fits door thickness: 38mm - 120mm.



P993



SY26-M

可充电聚合物锂离子电池组

型号: ZNS-09B
 额定容量: 5000mAh
 标称电压: 7.4V
 额定能量: 37.00Wh
 充电限制电压: 8.4V
 执行标准: GB31241-2014
 制造商: 深圳市华宝通电子有限公司

警告:

1. 禁止拆解、撞击、挤压、或投入火中
2. 若出现严重膨胀, 请勿继续使用
3. 若长时间存放, 需每六个月充电一次
4. 电池请勿置于任何液体中, 浸水后请勿使用
5. 避免高温暴晒或置于任何液体中

5V=2A

可充电锂离子电池组

型号: ZNS-11B
 额定容量: 2250mAh
 额定能量: 16.65Wh
 标称电压: 7.4V
 充电限制电压: 8.4V
 执行标准: GB31241-2022
 生产厂: 深圳市华宝通电子有限公司

警告:

1. 禁止拆解、撞击、挤压或投入火中。
2. 若出现严重膨胀, 请勿继续使用。
3. 切勿置于高温环境中。
4. 浸水后禁止使用。

2 YEAR WARRANTY

RM 2588
(Include Installation)

OBSIDIAN BLACK
黑曜石

Tuya Smart



Smart Life




WORKS WITH Google Assistant

WORKS WITH Amazon Alexa

PUSH PULL SERIES

P993



5 QUALITY
★★★★★

5 SECURITY
★★★★★

5 USER FRIENDLY
★★★★★

Product Specifications


- Material: Titanium Alloy + IML Tempered Glass.
- Dimensions: 423mm (H) x 65mm (W) x 54mm (L).
- Power: Dual Rechargeable Lithium Battery, USB Port (Type C).
- Color available: Matt Black ■
- Applicable For: Wooden and Security Door.

Capacity

- Admin capacity: 5
- User capacity: 95
- Face,Plam,Fingerprint,Password and card capacity: 100 each
- Battery: 4200 mah + 2250 mah

Technical Details

- Electronic mortise: 6068.
- Working temperature: 20-60°C.
- Fits door thickness: 38mm - 120mm.





AI Butler



G40 AI

2 YEAR WARRANTY

RM 3000
(Include Installation)

CLASSIC BLACK
经典黑

Tuya Smart



Smart Life




WORKS WITH
Google Assistant

WORKS WITH
Amazon Alexa

PUSH PULL SERIES

G40 AI



Product Specifications


- Material: Titanium Alloy + IML Tempered Glass.
- Dimensions: 420mm (H) x 75mm (W) x 59.5mm (L).
- Power: Rechargeable Lithium Battery + USB Port (Type C).
- Color available: Matt Black ■
- Applicable For: Wooden, Steel, Stainless Steel, Aluminum door and Security Door.

Capacity

- Admin capacity: 5
- User capacity: 95
- Face, Palm, Fingerprint and Card : 100 each
- Battery: 5000 mah

Technical Details

- Electronic mortise: 6068.
- Working temperature: 20-60°C.
- Fits door thickness: 38mm - 120mm.



V80



GLOSSY BLACK
亮黑色



ROSE GOLD
玫瑰金

2 YEAR WARRANTY

RM 1800
(Include Installation)

Tuya Smart



Smart Life




WORKS WITH
Google Assistant

WORKS WITH
Amazon Alexa

PUSH PULL SERIES

V80



5 **QUALITY**
★★★★★

4 **SECURITY**
★★★★☆

4 **USER FRIENDLY**
★★★★☆

Product Specifications

- Material: CNC Aluminum Alloy + IML Tempered Glass.
- Dimensions: 420mm (H) x 74mm (W) x 35mm (L).
- Power: Rechargeable Lithium, USB Port (Type C).
- Color available: Matt Black ■ Rose Gold ■
- Applicable For: Wooden Door.

Capacity

- Admin capacity: 5
- User capacity: 95
- Face, Palm, Fingerprint & Card : 100 each
- Battery: 4200 mah

Technical Details

- Automatic mortise: 6068.
- Working temperature: 20-60°C.
- Fits door thickness: 38mm - 75mm.



CX-07



GREY
灰色



MOCHA
摩卡



BLACK
经典黑

2 YEAR WARRANTY

RM 1180
(Include Installation)

Tuya Smart



Smart Life



WORKS WITH
Google Assistant


WORKS WITH
Amazon Alexa

EXTERIOR HANDLE SERIES


Cx-07



FINGERPRINT



CARD



PASSWORD



WIFI



KEY



USB



Smart Life



tuya

3 QUALITY



3 SECURITY



4 USER FRIENDLY



Product Specifications

- Material: Aluminum Alloy + IML Tempered Glass.
- Dimensions: 369mm (H) x 72mm (W) x 20mm (L).
- Power: AA batteries, USB Port (Type C).
- Color available: Black ■ Mocha ■ Grey ■
- Applicable For: Wooden Door

Capacity

- Admin capacity: 5
- User capacity: 95
- Fingerprint, Password and card capacity: 100 each
- Battery: 4/8pcs (Panasonic AA)

Technical Details

- Mortise: Semi Lock 6068.
- Working temperature: 20-60°C.
- Fits door thickness: 38mm - 75mm.



EXTERIOR HANDLE SERIES



RM 1480
(Include Installation)

M7B



RM 1680
(Include Installation)

M9B




RM 1280
(Include Installation)

H91B



EXTERIOR HANDLE SERIES

M7B



Product Specifications

- Material: Aluminum Alloy.
- Dimensions: 360mm (H) x 72mm (W) x 25mm (L).
- Power: AA batteries, USB Port (Type C).
- Color available: Black ■
- Applicable For: Wooden and Security Door.

Capacity

- Admin capacity: 1
- User capacity: 100
- Passcode: 150
- Fingerprint and card capacity: 200 each
- Battery: 4/8pcs (Panasonic AA)




Technical Details

- Automatic mortise: 6068.
- Working temperature: 20-60°C.
- Fits door thickness: 35mm - 65mm.



EXTERIOR HANDLE SERIES

M9B



Product Specifications

- Material: Aluminum Alloy + IML Tempered Glass.
- Dimensions: 370mm (H) x 70mm (W) x 25mm (L).
- Power: AA batteries, USB Port (Type C).
- Color available: Black ■
- Applicable For: Wooden and Security Door.

Capacity

- Admin capacity: 1
- User capacity: 100
- Passcode: 150
- Fingerprint and card capacity: 200 each
- Battery: 4pcs (Panasonic AA)




Technical Details

- Automatic mortise: 6068.
- Working temperature: 20-60°C.
- Fits door thickness: 35mm - 65mm.



EXTERIOR HANDLE SERIES

H91B



Product Specifications

- Material: Aluminum Alloy.
- Dimensions: 300mm (H) x 68mm (W) x 22mm (L).
- Power: AA batteries, USB Port (Type C).
- Color available: Black ■
- Applicable For: Wooden Door.

Capacity

- Admin capacity: 1
- User capacity: 100
- Passcode: 150
- Fingerprint and card capacity: 200 each
- Battery: 4pcs (Panasonic AA)

Technical Details

- Automatic mortise: 6068.
- Working temperature: 20-60°C.
- Fits door thickness: 35mm - 65mm.



INTERIOR HANDLE SERIES



X12 G
RM 780



X12 C
RM 780



X12 B
RM 780



X12 S
RM 780

TUBULAR HANDLE SERIES



T8
RM 450



T9
RM 480



T120
RM 570



AL9
RM 2488



AL2
RM 2488

X12



RED BRONZE
红古铜



CLASSIC BLACK
经典黑



BLACK GREY
黑灰色

2 YEAR WARRANTY


RM 780
(Include Installation)



TTLOCK

INTERIOR HANDLE SERIES

X12



Product Specifications

- Material: Aluminum Alloy.
- Dimensions: 250mm (H) x 60mm (W) x 20mm (L).
- Power: AA batteries, USB Port (Type C).
- Color available: Black ■ Red Bronze ■ Grey ■
- Applicable For: Wooden Door.

Capacity

- Admin capacity: 1
- User capacity: 100
- Passcode: 150
- Fingerprint and card capacity: 200 each
- Battery: 4pcs (Panasonic AA)


Technical Details

- Semi Lock Mortise : 6085 / 7085
- Working temperature: 20-60°C.
- Fits door thickness: 35mm - 65mm.






Adjustable Single Latch
Center distance can be adjusted to 70mm



RM 450
(Include Installation)

TUBULAR HANDLE SERIES

T8



2 QUALITY
★ ★ ☆ ☆ ☆

2 SECURITY
★ ★ ☆ ☆ ☆

4 USER FRIENDLY
★ ★ ★ ★ ☆

Product Specifications

- Made from Aluminum Alloy.
- Power: 4pcs AAA Battery, USB Port (Type C).
- Color available: Matt Black ■
- Applicable For: Wooden Door / PVC Door / Glass Door.

Capacity

- Admin capacity: 1
- User capacity: 100
- Fingerprint: 50
- Passcode: 100 each




Technical Details

- Adjustable Tubular latch 60-70mm.
- Working temperature: 20-60°C.
- Fits door thickness: 35mm - 65mm.






Adjustable Single Latch
Center distance can be adjusted to 70mm



RM 480
(Include Installation)

TUBULAR HANDLE SERIES

T9



2 **QUALITY**
★ ★ ☆ ☆ ☆

2 **SECURITY**
★ ★ ☆ ☆ ☆

4 **USER FRIENDLY**
★ ★ ★ ★ ☆

Product Specifications

- Made from Aluminum Alloy.
- Power: 4pcs AAA Battery, USB Port (Micro-B).
- Color available: Matt Black ■
- Applicable For: Wooden Door / PVC Door / Glass Door.

Capacity


- Admin capacity: 1
- User capacity: 100
- Fingerprint: 50
- Passcode: 100 each




Technical Details

- Adjustable Tubular latch 60-70mm.
- Working temperature: 20-60°C.
- Fits door thickness: 35mm - 65mm.






Adjustable Single Latch
Center distance can be adjusted to 70mm



RM 570
(Include Installation)

TUBULAR HANDLE SERIES

T120



3 **QUALITY**
★ ★ ★ ☆ ☆

2 **SECURITY**
★ ★ ☆ ☆ ☆

4 **USER FRIENDLY**
★ ★ ★ ★ ☆

Product Specifications

- Made from Aluminum Alloy.
- Power: 4pcs AAA Battery, USB Port (Type C).
- Color available: Matt Black ■
- Applicable For: Wooden Door / PVC Door / Glass Door.

Capacity

- Admin capacity: 1
- User capacity: 100
- Fingerprint: 50
- Passcode: 100 each



Technical Details

- Adjustable Tubular latch 60-70mm.
- Working temperature: 20-60°C.
- Fits door thickness: 35mm - 65mm.



GRILL DOOR LOCK



2 YEAR WARRANTY

RM 980
(Include Installation)

AL2



IP68
WATER PROOF

2 YEAR WARRANTY

RM 1800
(Include Installation)


AL9



TTLOCK

GRILL DOOR SERIES

AL2



Product Specifications

- Made from: ABS, Arcylic and 304 Stainless steel.
- Dimensions: 300mm (H) x 35mm (W) x 23mm (L).
- Power: 4Pcs AAA Battery, USB Port (Type C).
- Color available: Matt Black ■
- Applicable For: Iron Grill, Glass Door and Aluminium Door.

Capacity

- Admin capacity: 1
- User capacity: 100
- Passcode: 150
- Fingerprint and card capacity: 200 each

Technical Details


- Mortise: 2885/3585/4585/5085/6085/7085.
- Working temperature: 20-60°C.
- Fits door thickness: 25mm - 70mm.



4 QUALITY
★★★★☆


3 SECURITY
★★★★☆

5 USER FRIENDLY
★★★★★



GRILL DOOR SERIES

AL9



Product Specifications

- Made from Aluminum Alloy .
- Dimensions: 320mm (H) x 35mm (W) x 42mm (L).
- Power: Rechargeable Lithium, USB Port (Type C).
- Color available: Matt Black ■
- Applicable For: Iron Grill, Glass Door and Aluminium Door.

Capacity

- Admin capacity: 1
- User capacity: 100
- Passcode: 150
- Fingerprint and card capacity: 200 each

Technical Details

- Semi lock Mortise: 3085,4585.
- Working temperature: 20-60°C.
- Fits door thickness: 25mm - 70mm.



GLASS DOOR

DEADBOLT



GL2
RM 980



GL4
RM 1080



D4
RM 1180




D11
RM 1250

ACCESS CONTROL



K2
RM 500



K2F
RM 600



K5F
RM 700

GLASS DOOR LOCK



GL2



GL4

2 YEAR WARRANTY

RM 980
(Include Installation)


2 YEAR WARRANTY

RM 1080
(Include Installation)



GLASS DOOR SERIES

GL2



Product Specifications

- Material: ABS + Aluminum Alloy .
- Dimensions: 170mm (H) x 70mm (W).
- Power: 4pcs AA Battery, USB Port (Type C).
- Color available: Matt Black ■
- Applicable For: Glass Door.

Capacity

- Admin capacity: 1
- User capacity: 100
- Passcode: 150
- Fingerprint and card capacity: 200 each



Technical Details

- Working temperature: 20-60°C.
- Fits Glass Door

3 QUALITY
★ ★ ★ ☆ ☆


3 SECURITY
★ ★ ★ ☆ ☆

5 USER FRIENDLY
★ ★ ★ ★ ★



GLASS DOOR SERIES

GL4



Product Specifications


- Material: ABS + Aluminum Alloy .
- Dimensions: 190mm (H) x 76mm (W).
- Power: 4pcs AA Battery, USB Port (Type C).
- Color available: Matt Black ■
- Applicable For: Wooden / Aluminium and Glass Door.

Capacity

- Admin capacity: 1
- User capacity: 100
- Passcode: 150
- Fingerprint and card capacity: 200 each

Technical Details

- Working temperature: 20-60°C.
- Fits door thickness: 25mm - 65mm.



DEADBOLT



TTLOCK



2 YEAR WARRANTY

RM 1250
(Include Installation)



D4


2 YEAR WARRANTY

RM 1180
(Include Installation)




D11

Adjustable Single Latch
Center distance can be adjusted to 70mm



DEADBOLT SERIES

D11



Product Specifications

- Material: ABS + Zinc Alloy
- Dimensions: 139mm (H) x 67mm (W).
- Power: 4pcs AA Battery, USB Port (Type C).
- Color available: Matt Black ■
- Applicable For: Wooden / Aluminium and Glass Door.

Capacity

- Admin capacity: 1
- User capacity: 100
- Passcode: 150
- Fingerprint and card capacity: 200 each
- Battery: 4pcs (Panasonic AA)


Technical Details

- Adjustable Deadbolt Latch 60-70mm.
- Working temperature: 20-60°C.
- Fits door thickness: 35mm - 65mm.



DEADBOLT SERIES

D4



Product Specifications

- Material: Aluminum Alloy.
- Dimensions: 159mm (H) x 65mm (W) x 19mm (L).
- Power: 4pcs AA Battery, USB Port (Type C).
- Color available: Matt Black ■
- Applicable For: Wooden / Aluminium and Glass Door.

Capacity

- Admin capacity: 1
- User capacity: 100
- Passcode: 150
- Fingerprint and card capacity: 200 each
- Battery: 4pcs (Panasonic AA)

Technical Details

- Adjustable Deadbolt Latch 60-70mm.
- Working temperature: 20-60°C.
- Fits door thickness: 35mm - 65mm.




4 QUALITY
★★★★☆

3 SECURITY
★★★★☆

5 USER FRIENDLY
★★★★★

Adjustable Single Latch





K2
RM 500

Password ,
Card & App



K2F
RM 600

Fingerprint ,Password ,
Card & App




K5F
RM 700

Fingerprint ,Password ,
Face ,Card & App

ACCESS CONTROL SERIES

K2



PASSWORD

CARD

APP

BLUETOOTH

Product Specifications

- Material: Aluminum + Tempered glass .
- Dimensions: 125mm (H) x 79mm (W) x 15.5mm (L).
- Power: 12A AC or USB backup power supply.
- Color available: Metal+Black
- Applicable For: Wall ,Wooden Door,Glass Door , Aluminium Door and Stainless Steel Door.

Capacity

- Admin capacity: 1
- User capacity: 100
- Passcode: 150
- Card: 200 each

Technical Details

- Working temperature: 20-60°C.



Additional Option

1. Em Magnet
2. Lockable Power Box
3. Backup Battery
4. Adaptor
5. Door Bell
6. Exit Button
7. No Touch Exit Button



3 QUALITY
★★★★☆

4 SECURITY
★★★★☆

4 USER FRIENDLY
★★★★☆

Adaptor

Backup Battery

EM Magnet

OR

Lockable Power Box

Door Bell

+

Exit Button

OR


EXIT

ACCESS CONTROL SERIES


K2F



FINGERPRINT




PASSWORD



CARD



APP



BLUETOOTH

Product Specifications

- Material: Aluminum + Tempered glass .
- Dimensions: 126mm (H) x 80mm (W) x 19mm (L).
- Power: 12A AC or USB backup power supply.
- Color available: Metal+Black
- Applicable For: Wall ,Wooden Door,Glass Door , Aluminium Door and Stainless Steel Door.

Capacity

- Admin capacity: 1
- User capacity: 100
- Passcode: 150
- Fingerprint and card capacity: 200 each

Technical Details

- Working temperature: 20-60°C.



Additional Option

1. Em Magnet
2. Lockable Power Box
3. Backup Battery
4. Adaptor
5. Door Bell
6. Exit Button
7. No Touch Exit Button



3 QUALITY
★★★★☆

4 SECURITY
★★★★☆

4 USER FRIENDLY
★★★★☆

Adaptor



Backup Battery



Lockable Power Box



EM Magnet



Door Bell




Exit Button



ACCESS CONTROL SERIES

K5F



Product Specifications

- Material: Aluminum + Tempered glass .
- Dimensions: 145mm (H) x 80mm (W) x 19mm (L).
- Power: 12A AC or USB backup power supply.
- Color available: Metal+Black
- Applicable For: Wall ,Wooden Door,Glass Door , Aluminium Door and Stainless Steel Door.

Capacity

- Admin capacity: 1
- User capacity: 100
- Passcode: 150
- Fingerprint and card capacity: 200 each
- Face Recognition : 100

Technical Details

- Working temperature: 20-60°C.

Additional Option


1. Em Magnet
2. Lockable Power Box
3. Backup Battery
4. Adaptor
5. Door Bell
6. Exit Button
7. No Touch Exit Button



3 **QUALITY**
★★★★☆

4 **SECURITY**
★★★★☆

4 **USER FRIENDLY**
★★★★☆



Access Control System

Option 1

Front View



Access Control Panel



Door Bell



Adaptor



EM Magnet



Exit Button



Back View

Access Control System

Option 2

Front View



Access Control Panel



Door Bell



Backup Battery



Lockable Power Box



EM Magnet



Back View

Exit Button



Additional Option

Pad Lock



Smart Pad Lock PL800
Material : Stainless Steel + Aluminium Alloy
Features : Fingerprint + App + Key

Rm 280



Gateway



TTlock Bluetooth Gateway G2

RM 180



Door Sensor



TTlock Smart Door Sensor DS2

RM 150



RFIC Card



Key Tag Mifare RFIC Card
13.56Mhz For Smart Lock

RM 15



Lithium Battery



Model
YC03/YC03C/ YC04B /TC04C

RM150



Lithium Battery



Model
ZNS-11F BND / ZNS-09B1

RM 75



Lithium Battery



Model F9S

RM 75



RF Card



Mifare RF Card
13.56Mhz IC / ID / IC+ID
Access Control , Room Lock & Door Lock

RM 15 / 40



Additional Option

Alkaline Battrey



Panasonic Evolta AA 1.5V
(3B+1) LR6EG/4B1F

RM 15



Alkaline Battrey



Panasonic Evolta AAA 1.5V
(3B+1) LR3EG/4B1F

RM 15



Remote



Model : R1
433Mhz Support TTLOCK
for Smart Lock use

RM 45



Type-C Cable



Type-C Charging cable
5V-2A (Slow charging)

RM 8



Rechargeable Battery



Orico-EG7C AAA 1.5V
Li-ion Battery 8pcs 【 Type C 】
Smart Home Device ,Remote Control

RM 150



Rechargeable Battery



Orico-EG5C AAA 1.5V
Li-ion Battery 8pcs 【 Type C 】
Smart Home Device ,Remote Control

RM 75



Lock Cylinder



Class-C Lock Cylinder
Smart Lock key Replacement

RM 120/180



Screen Protector



Smart lock Tempred Glass
Screen protector (Customisable)

RM 15 / 25



Additional Option

Lockable Power Box



UPS Backup Power Supply Unit
For Access Control 220AC to 12V DC

RM 190



EM Magnet



280KG 600lbs Electric Magnetic Lock
DC 12V Single Door Lock for Access
Control System

RM 100



Smart Switch



Auto Gate Smart Switch
Sliding Gate / Swing Gate

RM 128 / 148



Exit Button



Exit Push Button
3x3" (BIG)

RM 10



Exit Button



Stainless Steel NO TOUCH
Exit Button with LED Light

RM 18



Backup Battery



12V-7AH Rechargeable Battery
Voltage : 12V
Suitable for Auto-gate, CCTV, Alarm, UPS

RM 75



Door Bell



Electronic Wire Door Bell
12V DC

RM 30



Adaptor



Power Adaptor
250V AC to 12V DC

RM 30



Mortise Series

Narrow Size Mortise



Semi lock Body
2885/3085/3585/4085/4585

RM 80



Euro standard mortise



Semi lock Body
6085/7085

RM 80



China Mini Mortise




Semi lock Body
5050

RM 80



Security Door lock Body



Anti-theft Lock Body
30*388 / 40*388 (Custom Size)

RM 120-180



Semi lock Body



Semi lock Body
6068/7068 Anti-Thief Mortise

RM 100



Electronic Lock Body



Auto Lock Body
6068/7068 Anti-Thief Mortise

RM 150



Adjustable Single Latch



Tubular Latch
Center Distance 50mm 60mm 70mm

RM 30



Adjustable Deadbolt



Deadbolt Latch
Center Distance 60mm 70mm

RM 30



Additional Option

Stopper



Magnetic Floor Door Stopper
Material : SUS 304 Stainless Steel

RM 30



Stopper



Magnetic Tower Door Stopper
Material : SUS 304 Stainless Steel

RM 30



Strike Plate



Wooden Door Strike Plate
Protect the door frame
Receives and secures the latch

RM 60



Strike Plate



Grill / Security Door Strike Plate
Protect the door frame
Receives and secures the latch

RM 60



Screw Cover



304 Stainless Steel Screw Cap
Small Cap 15mm

RM 2 pcs



Screw Cover



304 Stainless Steel Screw Cap
Big Cap 30mm

RM 8 pcs



Screw Cover



Silicone Rubber Screw Hole
For Lock Body use

RM 2 pcs



Door Lock Measurement



Door Thickness

门厚度



Mortise Length

锁体长度



Mortise Width


锁体宽度

Door Lock Measurement



Lock Center & Door Gap

锁体中心与边缘距离



Door Frame Length

锁门框长度

Door Frame Hole 7

门框扣板曹7

Door Frame Hole 8

门框扣板曹8

CONTACT INFORMATION



082- 555 885 / 012-8764833



lockoo.smtc@gmail.com



No.108D, Lot 5130 Ground Floor, Yarra Park Commercial Centre,
Batu Kawa, 93250 Kuching, Sarawak.



www.lockoo.com



LOCKOO SMART TECH

Showroom: No.108D,Lot 5130 Ground Floor, Yarra Park

Commercial Centre, Batu Kawa, 93250 Kuching, Sarawak.

SINCE 2023